

## **DECLARATION OF PERFORMANCE**

No.: Rigips\_Abschlussprofil\_13\_25\_„Goeppinger\_Profil“\_LE\_2201

- (1) *Unique identification code of the product-type*  
**Rigips Abschlussprofil 13/25 „Göppinger Profil“**
- (2) *Intended use/es*  
**Metal bead for use with gypsum plasterboards  
Stop bead (EN 14353)**
- (3) *Manufacturer*  
**Saint-Gobain Rigips GmbH  
Schanzenstr. 84  
D-40549 Düsseldorf**
- (4) *Authorised representative*  
**N/A**
- (5) *System/s of AVCP*  
**System 4**
- (6a) *Harmonised standard*  
**EN 14353:2007+A1:2010**

*Notified body/ies*  
**Internal**

- (6b) *European Assessment Document*  
**N/A**

*European Technical Assessment*  
**N/A**

*Technical Assessment Body*  
**N/A**

*Notified body/ies*  
**N/A**

(7) Declared performance/s


Essential characteristics	Performance
Reaction to fire (R2F) (in unprotected condition)	A1
Bending behaviour	Requirements met
Dangerous substances (DS)	NPD

(8) Appropriate Technical Documentation and/or Specific Technical Documentation  
N/A

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Düsseldorf, 28. January 2022




---

Raimund Heini, Managing Director




---

Dr. Benjamin Kaplan, Director R&D Isover/Rigips Germany

<b>CE</b>	
<b>Saint-Gobain Rigips GmbH</b> Schanzenstr. 84 D-40549 Düsseldorf	
13	
<b>Rigips_Abschlussprofil 13 25 „Goeppinger_Profil“_LE_2201</b> <b>EN 14353:2007+A1:2010</b>	
<b>Metal bead for use with gypsum plasterboards</b> <b>Stop bead (EN 14353)</b>	
Notified body/ies: N/A	
Reaction to fire (R2F) (in unprotected condition)	A1
Bending behaviour	Requirements met
Dangerous substances (DS)	NPD

