

# **DECLARATION OF PERFORMANCE**

No.: Rigips\_Ansetzbinder\_LE\_2207

- (1) *Unique identification code of the product-type*  
**Rigips Ansetzbinder**
- (2) *Intended use/es*  
**Gypsum based adhesive for thermal/acoustic insulation composite panels and plasterboards for general building construction**


- 
- (3) *Manufacturer*  
**Saint-Gobain Rigips GmbH  
Schanzenstr. 84  
D-40549 Düsseldorf**

- (4) *Authorised representative*  
**N/A**

- (5) *System/s of AVCP*  
**System 4**

- (6a) *Harmonised standard*  
**EN 14496:2005**

*Notified body/ies*  
**Internal**

- 
- (6b) *European Assessment Document*  
**N/A**

*European Technical Assessment*  
**N/A**

*Technical Assessment Body*  
**N/A**

*Notified body/ies*  
**N/A**



(7) Declared performance/s

Essential characteristics	Performance
Reaction to fire (R2F) (for unprotected installation situations)	A1
Bond strength	> 0.06 MPa

(8) Appropriate Technical Documentation and/or Specific Technical Documentation  
N/A

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.


Signed for and on behalf of the manufacturer by:

Düsseldorf, 01. July 2022




---

Raimund Heini, Managing Director




---

Dr. Benjamin Kaplan, Director R&D Isover/Rigips Germany



<b>CE</b>	
<b>Saint-Gobain Rigips GmbH</b> <b>Schanzenstr. 84</b> <b>D-40549 Düsseldorf</b>	
<b>13</b>	
<b>Rigips_Ansetzbinder_LE_2207</b>	
<b>EN 14496:2005</b>	
<b>Gypsum based adhesive for thermal/acoustic insulation composite panels and plasterboards for general building construction</b>	
Notified body/ies: N/A	
Reaction to fire (R2F) (for unprotected installation situations)	A1
Bond strength	> 0.06 MPa

