

DECLARATION OF PERFORMANCE

No.: Rigips_VARIO_Finish_LE_2108

(1) *Unique identification code of the product-type*
Rigips VARIO Finish

(2) *Intended use/es*
**Jointing material for plasterboards
2A (EN 13963)**

(3) *Manufacturer*
**Saint-Gobain Rigips GmbH
Schanzenstr. 84
D-40549 Düsseldorf**

(4) *Authorised representative*
N/A

(5) *System/s of AVCP*
System 4

(6a) *Harmonised standard*
EN 13963:2005/AC:2006

Notified body/ies
Internal

(6b) *European Assessment Document*
N/A

European Technical Assessment
N/A

Technical Assessment Body
N/A

Notified body/ies
N/A

(7) Declared performance/s


Essential characteristics	Performance
Reaction to fire (R2F)	A2-s1, d0
Flexural strength	NPD
Dangerous substances	NPD

(8) Appropriate Technical Documentation and/or Specific Technical Documentation
N/A

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Düsseldorf, 12. August 2021



Raimund Heini, Managing Director



Dr. Benjamin Kaplan, Director R&D Isover/Rigips Germany

CE

Saint-Gobain Rigips GmbH
Schanzenstr. 84
D-40549 Düsseldorf

13

Rigips_VARIO_Finish_LE_2108

EN 13963:2005/AC:2006

Jointing material for plasterboards
2A (EN 13963)

Reaction to fire (R2F)	A2-s1, d0
Flexural strength	NPD
Dangerous substances	NPD

