

**DECLARATION OF PERFORMANCE**

No.: Rimat\_Gruen\_150\_LE\_2207

- (1) *Unique identification code of the product-type*  
**Rimat Grün 150**
- (2) *Intended use/es*  
**Lightweight gypsum building plaster for plastering walls and ceilings inside buildings  
B4/50/2 (EN 13279-1)**
- (3) *Manufacturer*  
**Saint-Gobain Rigips GmbH  
Schanzenstr. 84  
D-40549 Düsseldorf**
- (4) *Authorised representative*  
**N/A**
- (5) *System/s of AVCP*  
**System 4**
- (6a) *Harmonised standard*  
**EN 13279-1:2008**
- Notified body/ies*  
**Internal**
- (6b) *European Assessment Document*  
**N/A**

*European Technical Assessment*  
**N/A**

*Technical Assessment Body*  
**N/A**

*Notified body/ies*  
**N/A**



(7) Declared performance/s


Essential characteristics	Performance
<b>Reaction to fire (R2F)</b> (for unprotected installation situations)	<b>A1</b>
<b>Airborne sound insulation (R)</b>	<b>NPD</b>
<b>Thermal resistance (R)</b>	<b>NPD</b>

(8) Appropriate Technical Documentation and/or Specific Technical Documentation  
**N/A**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Düsseldorf, 01. July 2022




---

Raimund Heini, Managing Director




---

Dr. Benjamin Kaplan, Director R&D Isover/Rigips Germany

<b>CE</b>	
<b>Saint-Gobain Rigips GmbH</b> Schanzenstr. 84 D-40549 Düsseldorf	
<b>15</b>	
<b>Rimat_Gruen_150_LE_2207</b>	
<b>EN 13279-1:2008</b>	
<b>Lightweight gypsum building plaster for plastering walls and ceilings inside buildings</b> <b>B4/50/2 (EN 13279-1)</b>	
Notified body/ies: N/A	
Reaction to fire (R2F) (for unprotected installation situations)	A1
Airborne sound insulation (R)	NPD
Thermal resistance (R)	NPD

